



## RACK 19" cabinets and accessories

### Wall mounted cabinets (ready-to-assemble)

  **RWA type - 6U/9U/12U wall mounted, ready-to-assemble, width 560mm, depth 450mm**  
(dimensions: WxHxD [mm])


code	name / description	
RWA654GD	<b>RACK cabinet, wall mounted, ready-to-assemble 6U/560x450</b> Mounting width: W=19", H=6U, dimensions (560x368x450) [mm, +/-2] Static load: 60kg	
RWA954GD	<b>RACK cabinet, wall mounted, ready-to-assemble 9U/560x450</b> Mounting width: W=19", H=9U, dimensions (560x501x450) [mm, +/-2] Static load: 60kg	
RWA1254GD	<b>RACK cabinet, wall mounted, ready-to-assemble 12U/560x450</b> Mounting width: W=19", H=12U, dimensions (560x635x450) [mm, +/-2] Static load: 60kg	

  **RWA type - 6U/9U/12U wall mounted, ready-to-assemble, width 560mm, depth 600mm**  
(dimensions: WxHxD [mm])


code	name / description	
RWA656GD	<b>RACK cabinet, wall mounted, ready-to-assemble 6U/560x600</b> Mounting width: W=19", H=6U, dimensions (560x368x600) [mm, +/-2] Static load: 60kg	
RWA956GD	<b>RACK cabinet, wall mounted, ready-to-assemble 9U/560x600</b> Mounting width: W=19", H=9U, dimensions (560x501x600) [mm, +/-2] Static load: 60kg	
RWA1256GD	<b>RACK cabinet, wall mounted, ready-to-assemble 12U/560x600</b> Mounting width: W=19", H=12U, dimensions (560x635x600) [mm, +/-2] Static load: 60kg	

### Wall mounted cabinets (fully assembled)


  **RW type - 6U/9U/12U wall mounted, fully assembled, width 600mm, depth 450mm**  
(dimensions: WxHxD [mm])

code	name / description	
RW664GD	<b>RACK cabinet, wall mounted, fully assembled 6U/600x450</b> Mounting width: W=19", H=6U, dimensions (600x368x450) [mm, +/-2] Static load: 60kg	
RW964GD	<b>RACK cabinet, wall mounted, fully assembled 9U/600x450</b> Mounting width: W=19", H=9U, dimensions (600x501x450) [mm, +/-2] Static load: 60kg	
RW1264GD	<b>RACK cabinet, wall mounted, fully assembled 12U/600x450</b> Mounting width: W=19", H=12U, dimensions (600x635x450) [mm, +/-2] Static load: 60kg	

  **RW type - 6U/9U/12U wall mounted, fully assembled, width 600mm, depth 600mm**  
(dimensions: WxHxD [mm])

code	name / description	
RW666GD	<b>RACK cabinet, wall mounted, fully assembled 6U/600x600</b> Mounting width: W=19", H=6U, dimensions (600x368x600) [mm, +/-2] Static load: 60kg	
RW966GD	<b>RACK cabinet, wall mounted, fully assembled 9U/600x600</b> Mounting width: W=19", H=9U, dimensions (600x501x600) [mm, +/-2] Static load: 60kg	
RW1266GD	<b>RACK cabinet, wall mounted, fully assembled 12U/600x600</b> Mounting width: W=19", H=12U, dimensions (600x635x600) [mm, +/-2] Static load: 60kg	


  **RWD type - 6U/9U/12U double section, wall mounted - fully assembled, width 600mm, depth 600mm**  
(dimensions: WxHxD [mm])

code	name / description	
RWD666GD	<b>RACK cabinet, double section, wall mounted - fully assembled 6U/600x600</b> Mounting width: W=19", H=6U, dimensions (600x368x600) [mm, +/-2] Static load: 60kg	
RWD966GD	<b>RACK cabinet, double section, wall mounted - fully assembled 9U/600x600</b> Mounting width: W=19", H=9U, dimensions (600x501x600) [mm, +/-2] Static load: 60kg	
RWD1266GD	<b>RACK cabinet, double section, wall mounted - fully assembled 12U/600x600</b> Mounting width: W=19", H=12U, dimensions (600x635x600) [mm, +/-2] Static load: 60kg	


### Floor standing cabinets (ready-to-assemble)

#### width 600mm


**RS type - 15U/22U floor standing, ready-to-assemble, width 600mm, depth 600mm**  
(dimensions: WxHxD [mm])

code	name / description	
RS1566GD	<b>RACK cabinet, floor standing, ready-to-assemble 15U/600x600</b> Mounting width: W=19", H=15U, dimensions (600x855x600) [mm, +/-2] Static load: 800kg	
RS2266GD	<b>RACK cabinet, floor standing, ready-to-assemble 22U/600x600</b> Mounting width: W=19", H=22U, dimensions (600x1166x600) [mm, +/-2] Static load: 800kg	

**RS type - 27U/42U floor standing, ready-to-assemble, width 600mm, depth 800mm**  
(dimensions: WxHxD [mm])



code	name / description	
RS2768GD	<b>RACK cabinet, floor standing, ready-to-assemble 27U/600x800</b> Mounting width: W=19", H=27U, dimensions (600x1388x800) [mm, +/-2] Static load: 800kg	
RS4268GD	<b>RACK cabinet, floor standing, ready-to-assemble 42U/600x800</b> Mounting width: W=19", H=42U, dimensions (600x2055x800) [mm, +/-2] Static load: 800kg	

**RS type - 27U/42U floor standing, ready-to-assemble, width 600mm, depth 1000mm**  
(dimensions: WxHxD [mm])



code	name / description	
RS2761GD	<b>RACK cabinet, floor standing, ready-to-assemble 27U/600x1000</b> Mounting width: W=19", H=27U, dimensions (600x1388x1000) [mm, +/-2] Static load: 800kg	
RS4261GD	<b>RACK cabinet, floor standing, ready-to-assemble 42U/600x1000</b> Mounting width: W=19", H=42U, dimensions (600x2055x1000) [mm, +/-2] Static load: 800kg	

#### width 800mm

**RS type - 42U floor standing, ready-to-assemble, width 800mm, depth 800mm**  
(dimensions: WxHxD [mm])


code	name / description	
RS4288GD	<b>RACK cabinet, floor standing, ready-to-assemble 42U/800x800</b> Mounting width: W=19", H=42U, dimensions (800x2055x800) [mm, +/-2] Static load: 800kg	 

**RS type - 42U floor standing, ready-to-assemble, width 800mm, depth 1000mm**  
(dimensions: WxHxD [mm])


code	name / description	
RS4281GD	<b>RACK cabinet, floor standing, ready-to-assemble 42U/800x1000</b> Mounting width: W=19", H=42U, dimensions (800x2055x1000) [mm, +/-2] Static load: 800kg	 

### Floor standing cabinets (fully assembled)


**ZRS type - 15U/22U floor standing, fully assembled, width 600mm, depth 600mm**  
(dimensions: WxHxD [mm])

code	name / description	
ZRS1566GD	<b>RACK cabinet, floor standing, fully assembled 15U/600x600</b> Mounting width: W=19", H=15U, zewnętrzne (600x855x600) [mm, +/-2] Static load: 800kg	
ZRS2266GD	<b>RACK cabinet, floor standing, fully assembled 22U/600x600</b> Mounting width: W=19", H=22U, dimensions (600x1166x600) [mm, +/-2] Static load: 800kg	

**ZRS type - 27U/42U floor standing, fully assembled, width 600mm, depth 800mm**  
(wymiar: WxHxD [mm])












code	name / description	
ZRS2768GD	<b>RACK cabinet, floor standing, fully assembled 27U/600x800</b> Mounting width: W=19", H=27U, dimensions (600x1388x800) [mm, +/-2] Static load: 800kg	
ZRS4268GD	<b>RACK cabinet, floor standing, fully assembled 42U/600x800</b> Mounting width: W=19", H=42U, zewnętrzne (600x2055x800) [mm, +/-2] Static load: 800kg	

**ZRS type - 27U/42U floor standing, fully assembled, width 600mm, depth 1000mm**  
(wymiar: WxHxD [mm])




code	name / description	
ZRS2761GD	<b>RACK cabinet, floor standing, fully assembled 27U/600x1000</b> Mounting width: W=19", H=27U, dimensions (600x1388x1000) [mm, +/-2] Static load: 800kg	
ZRS4261GD	<b>RACK cabinet, floor standing, fully assembled 42U/600x1000</b> Mounting width: W=19", H=42U, dimensions (600x2055x1000) [mm, +/-2] Static load: 800kg	

## Accessories for RACK 19" cabinets





## RACK 19" ENCLOSURES AND ACCESSORIES

code	name / description		
ARAD2	<b>RACK enclosure 2U</b> Mounting width: W=19", H=2U, Static load: 60kg <b>Use ARAS rails to mount in a RACK cabinet, depending on its depth</b> - ARAS600 - for RACK cabinets, depth: D=600 - ARAS800 - for RACK cabinets, depth: D=800 - ARAS1000 - for RACK cabinets, depth: D=1000		
ARAD3	<b>RACK enclosure 3U</b> Mounting width: W=19", H=3U, Static load: 60kg <b>Use ARAS rails to mount in a RACK cabinet, depending on its depth</b> - ARAS600 - for RACK cabinets, depth: D=600 - ARAS800 - for RACK cabinets, depth: D=800 - ARAS1000 - for RACK cabinets, depth: D=1000		
ARAD4	<b>RACK enclosure 4U</b> Mounting width: W=19", H=4U, Static load: 60kg <b>Use ARAS rails to mount in a RACK cabinet, depending on its depth</b> - ARAS600 - for RACK cabinets, depth: D=600 - ARAS800 - for RACK cabinets, depth: D=800 - ARAS1000 - for RACK cabinets, depth: D=1000		
ARAS600	<b>Rail for RACK enclosure 600mm</b> Mounting width: H=1U, D=450+558 [mm, +/-2] Static load: 60kg		
ARAS800	<b>Rail for RACK enclosure 800mm</b> Mounting width: H=1U, D=600+655 [mm, +/-2] Static load: 60kg		
ARAS1000	<b>Rail for RACK enclosure 1000mm</b> Mounting width: H=1U, D=705+790 [mm, +/-2] Static load: 60kg		
ARAW45	<b>Fan with temperature sensor 45°C</b> Dimensions: W=78, H=78, D=25 [mm, +/-2]		
ARAP16P	<b>Cable glands fi 16mm</b> Dimensions: fi 16 mm	☼	
ARAP21P	<b>Cable glands fi 21mm</b> Dimensions: fi 21 mm	☼	
MM019	<b>Cable protection conduit fi 16 (black)</b> Dimensions inside: fi 16 mm <b>sales per metre, price for 1m</b>		
MM020	<b>Cable protection conduit fi 21 (black)</b> Dimensions inside: fi 21 mm <b>sales per metre, price for 1m</b>		










## RACK drawers

code	name / description		
RASR2	<b>RACK drawer 2U</b> Mounting width: W=19", H=2U		
RASR3	<b>RACK drawer 3U</b> Mounting width: W=19", H=3U		
RASR4	<b>RACK drawer 4U</b> Mounting width: W=19", H=4U		





## RACK enclosures with a DIN rail

code	name / description		
ARADIN1	<b>Voltage distribution panel 24xS</b> Mounting width: W=19", H=3U Intended use: the voltage distribution panel is intended for mounting electrical fuses, 'S' type, in a RACK 19" cabinet. The enclosure can accommodate max. 24 fuses, 1 S wide.		
ARADIN2	<b>Enclosure with a DIN rail for RACK cabinets, 24xS, 160mm deep</b> Mounting width: W=19", H=3U Intended use: The enclosure with a DIN rail for RACK cabinets is intended for mounting equipment located inside DIN enclosures, for RACK 19" cabinets. The enclosure features a DIN rail, length: 24x1S. The height of the mounted module cannot exceed 160mm.		
ARADIN3	<b>4U enclosure with a DIN-TH35-24xS rail for RACK cabinets</b> Mounting width: W=19", H=4U Intended use: The enclosure with a DIN rail for RACK cabinets is intended for mounting equipment located inside DIN enclosures, for RACK 19" cabinets. The enclosure features a DIN rail, length: 24x1S. The height of the mounted module cannot exceed 160mm.	☼	
RADIN	<b>4U mounting plate with DIN-TH35-24xS rail for RACK19" cabinets</b> Mounting width: W=19", H=4U Intended use: The enclosure with a DIN rail for RACK cabinets is intended for mounting equipment located inside DIN enclosures, for RACK 19" cabinets. The enclosure features a DIN rail, length: 24x1S. The height of the mounted module cannot exceed 160mm.	☼	




## SHELFES

code	name / description		
RAPD600	<b>Cantilever shelf 2U 600mm</b> Dimensions: W=484, H=87, D=350 [mm, +/-2] Static load: 60 kg		
RAPS450A	<b>Fixed shelf 500x280 for RACK cabinet, type RWA</b> Dimensions: W=502, H=50, D=280 [mm, +/-2] Static load: 60 kg		
RAPS600A	<b>Fixed shelf 502x430 for RACK cabinet, type RWA</b> Dimensions: W=502, H=50, D=430 [mm, +/-2] Static load: 60 kg		
RAPS450W	<b>Fixed shelf 485x290 for RACK cabinet, type RW</b> Dimensions: W=485, H=46, D=290 [mm, +/-2] Static load: 60 kg		
RAPS600W	<b>Fixed shelf 485x440 for RACK cabinet, type RW</b> Dimensions: W=487, H=50, D=440 [mm, +/-2] Static load: 60 kg		
RAPS600D	<b>Fixed shelf 485x345 for RACK cabinet, type RWD</b> Dimensions: W=487, H=50, D=345 [mm, +/-2] Static load: 60 kg		
RAPS600S	<b>Fixed shelf 470x350 for RACK cabinet, type RS/ZRS</b> Dimensions: W=487, H=46, D=350 [mm, +/-2] Static load: 60 kg		
RAPS800S	<b>Fixed shelf 470x550 for RACK cabinet, type RS/ZRS</b> Dimensions: W=472, H=46, D=550 [mm, +/-2] Static load: 60 kg		
RAPS1000S	<b>Fixed shelf 470x730 for RACK cabinet, type RS/ZRS</b> Dimensions: W=472, H=46, D=730 [mm, +/-2] Static load: 60 kg		



## SLIDING SHELFES

code	name / description		
RAPW-K	<b>Sliding keyboard and mouse shelf</b> Mounting width: W=19", H=2U, Dimensions: W=482, H=88, D=356 [mm, +/-2] Static load: 20 kg		
RAPW600	<b>Sliding shelf 600 mm</b> Dimensions: W=471, H=43, D=371 [mm, +/-2] Static load: 20 kg		
RAPW800	<b>Sliding shelf 800 mm</b> Dimensions: W=472, H=42, D=566 [mm, +/-2] Static load: 20 kg		
RAPW960	<b>Sliding shelf 960 mm</b> Dimensions: W=472, H=42, D=743 [mm, +/-2] Static load: 20 kg		






## BLANKING PANELS

code	name / description		
RAPZ1	<b>Blanking panel 1U</b> Mounting width: W=19" H=1U		
RAPZ2	<b>Blanking panel 2U</b> Mounting width: W=19" H=2U		
RAPZ4	<b>Blanking panel 4U</b> Mounting width: W=19" H=4U		








## BRUSH GROMMETS

code	name / description		
RAPS	<b>Brush grommet for RACK cabinets</b> Dimensions: W=360, H=15, D=63 [mm, +/-2]		
RAPS-1	<b>Brush grommet RACK 1U</b> Mounting width: W=19" H=1U		



## CABLE MANAGEMENT PANELS

code	name / description		
RAOK-1M	<b>Cable management panel, horizontal, metal 1U</b> Mounting width: W=19" H=1U		
RAOK-1P	<b>Cable management panel, horizontal, plastic 1U</b> Mounting width: W=19" H=1U		
RAOK-1T	<b>Cable management panel, horizontal, metal 1U – flat</b> Mounting width: W=19" H=1U		
RAOK-L	<b>Cable management panel, vertical, metal, left for RS/ZRS type RACK cabinets</b> Mounting width: W=19" H=1U		
RAOK-R	<b>Cable management panel, vertical, metal, right for RS/ZRS type RACK cabinets</b> Mounting width: W=19" H=1U		


## FANS

code	name / description		
RAW1	<b>Fan 1/230 for wall mounted cabinets type: RW, RWD</b> Dimensions: W=105 H=105		
RAW2	<b>Fan 2/230 for wall mounted cabinets type: RW, RWD</b> Dimensions: W=105 H=105		
RAWP-1R	<b>4-fan 4-fan unit with thermostat RACK 1U</b> Mounting width: W=19" H=1U, (a temperature sensor with a wire L=2m included)		
RAWP-1	<b>4-fan unit RACK 1U</b> Mounting width: W=19" H=1U		
RAWP600	<b>2-fan unit for floor standing cabinets 600x600mm</b> Dimensions: W=450, H=48, D=350 [mm, +/-2]		
RAWP800	<b>4-fan unit for floor standing cabinets 600x800mm</b> Dimensions: W=450, H=48, D=550 [mm, +/-2]		
RAWP1000	<b>4-fan unit for floor standing cabinets 600x1000mm</b> Dimensions: W=450, H=48, D=750 [mm, +/-2]		


## THERMOSTATS

code	name / description		
RAT	<b>Thermostat for fan units of RACK cabinets</b> Dimensions : W=32,H=58 D=41 [mm, +/-2]. The RAT thermostat is intended for controlling fans, type: RAW..., RAWP... inside RACK cabinets		
RAT-1R	<b>Termostat RACK 1U</b> Mounting width: W=19" H=1U. The digital thermostat RACK 1U is intended for controlling fan systems inside RACK cabinets.		


## POWER DISTRIBUTION UNIT

code	name / description		
RALZ	<b>Power distribution unit, 8 outlets</b> Mounting width: W=19", H=1U, socket type: E; plug type: E/F („Unischuko“) Number of outlets: 8		
RALZ/F	<b>Power distribution unit, 8 outlets/type F</b> Mounting width: W=19", H=1U, socket type: F („Schuko“); plug type: E/F („Unischuko“) Number of outlets: 8	☼	


## LIGHTNING

code	name / description		
RAOS	<b>Lightning for RACK19" cabinets</b> Mounting width: W=19", H=1U Power supply: 230VAC / 8W Intended use: RWA, RW, RWD and RS, ZRS type	☼	


## PLINTH FOR FLOOR CABINETS

code	name / description		
RAC166	<b>Plinth 100mm for floor standing cabinets 600x600mm</b> Dimensions: W=596, H=100, D=596 [mm, +/-2]		
RAC168	<b>Plinth 100mm for floor standing cabinets 600x800mm</b> Dimensions: W=596, H=100, D=796 [mm, +/-2]		
RAC1610	<b>Plinth 100mm for floor standing cabinets 600x1000mm</b> Dimensions: W=596, H=100, D=996 [mm, +/-2]		
RAC188	<b>Plinth 100mm for floor standing cabinets 800x800mm</b> Dimensions: W=796, H=100, D=796 [mm, +/-2]	☼	
RAC1810	<b>Plinth 100mm for floor standing cabinets 800x1000mm</b> Dimensions: W=796, H=100, D=996 [mm, +/-2]	☼	




## TAMPER PROTECTION for RACK 19" cabinets

code	name / description		
RWAT	<b>Tamper protection for RACK 19" cabinets, RWA type</b> Set consists of two sheets with micro switches	☼	
RWT	<b>Tamper protection for RACK 19" cabinets, RW type</b> Set consists of two sheets with micro switches	☼	
RWDT	<b>Tamper protection for RACK 19" cabinets, RWD type</b> Set consists of three sheets with micro switches	☼	
RST	<b>Tamper protection for RACK 19" cabinets, RST type</b> Set consists of three sheets with micro switches	☼	




## GROUNDING WIRES for RACK 19" cabinets

code	name / description		
RAPU-A	<b>Set of grounding wires to RACK19" cabinets, RWA type</b> Dimensions of the wires: L1=30cm – 2pcs, L2=50cm – 1pcs, L3=120cm – 3pcs	☼	
RAPU-W	<b>Set of grounding wires to RACK19" cabinets, RW type</b> Dimensions of the wires: L1=30cm – 2 pcs, L2=60cm – 1 pcs, L3=120cm – 1 pcs	☼	
RAPU-D	<b>Set of grounding wires to RACK19" cabinets, RWD type</b> Dimensions of the wires: L1=30cm – 2 pcs, L2=60cm – 1 pcs, L3=120cm – 2 pcs	☼	
RAPU-S	<b>Set of grounding wires to RACK19" cabinets, RS/ZRS type</b> Dimensions of the wires: L1=40cm – 6 pcs, L2=80cm – 1 pcs, L3=280cm – 1 pcs	☼	

## CASTERS, FEETS

code	name / description		
RAK	<b>Caster 2" without brake for floor standing cabinet</b> Dimensions: W=54, H=70, D=84 [mm, +/-2], Ø=2" Static load: 150 kg		
RAKB	<b>Caster 2" with brake for floor standing cabinet</b> Dimensions: W=66, H=70, D=89 [mm, +/-2], Ø=2" Static load: 150 kg		
RAN	<b>Leveling foot for floor standing cabinet</b> Dimensions: H=90, Dstopki=32 [mm, +/-2], gwint: M12 Static load: 320 kg		

## LOCKS, FASTENERS, SCREWS

code	name / description		
RAZ25	<b>Universal round lock 25</b>		
RAZB16	<b>Side panel lock, round 16</b>		
RAL	<b>Fastener for RS/ZRS type RACK cabinets</b>		
RAS4	<b>Screw set RACK 4 pcs</b>		